DNA Ends: Just the Beginning

Nobel Lecture

Dec. 7, 2009

Jack W. Szostak
HHMI, MGH, HMS

Two Telomere Problems:

1. DNA ends are reactive

2. Incomplete Replication

Telomeres have been known to be special since the 1930s



McClintock, Genetics 26: 234-282 (1941)



McClintock, Genetics 23: 315-376 (1938)

"No case was found of the attachment of a piece of one chromosome to the end of another [intact chromosome]"
McClintock, Missouri Agr. Exp. Sta. Res. Bull. 163, 1-48 (1931)

Incomplete Replication of DNA Ends



lagging strand is incomplete

Setting the stage:

Molecular analysis of the
reactions of DNA ends.

Non-homologous end-joining in yeast



Orr-Weaver and Szostak, PNAS, 1983

Double-strand breaks in DNA stimulate recombination



very few recombinants



abundant recombinants

Orr-Weaver et al., PNAS, 1981

Double-strand break repair model for recombination



double-strand break

resection

strand invasion, repair synthesis

repair synthesis, branch migration

Holliday Junction resolution

Telomeres from *Tetrahymena:* stable DNA ends that are fully replicated





Blackburn and Gall, J. Mol. Biol. 120: 33-53 (1978)

A very special piece of DNA:



Tetrahymena telomeres in yeast:

A collaborative study to ask whether the biochemistry of telomeres is widely conserved.

Moving *Tetrahymena* Telomeres into Yeast



Szostak and Blackburn, Cell 29: 245-255 (1982)

Cloning Yeast Telomeres



Szostak and Blackburn, Cell 29: 245-255 (1982)

A digression: Yeast Artificial Chromosomes

First attempt to make an artificial chromosome



Murray et al., Nature, 1983

Successful attempt to make an artificial chromosome



Murray et al., Nature, 1983

Recombination based models for telomere replication

Telomere Lengthening by Recombination



Telomere Lengthening by Repair Synthesis



incomplete replication generates 3’ overhang

strand invasion allows extension of 3’ overhang

Telomere Replication by Holliday Junction Resolution



telomere maintenance
in yeast points to the
correct solution

Yeast adds new DNA to *Tetrahymena* Telomeres



Shampay et al., Nature 310: 154-157 (1984)

Correct Structure of Telomeric DNA Ends

New Model for Telomere Shortening, and the Role of Telomerase in Telomere Maintenance



Cells without telomerase
have limited division potential,

Cells with telomerase can
divide without limit.

Senescence of Yeast EST-1 Cells



Lundblad and Szostak, Cell 57: 633-643 (1989)

After telomeres:

Directed Evolution of RNA and Protein

Laboratory Evolution of Aptamers

An ATP binding
RNA molecule



Sassanfar and Szostak, Nature 364: 550-553 (1993)

Class I Ribozyme Ligase

Fig. 5



Bartel and Szostak, Science 261: 1411-1418 (1993)

An HDV ribozyme in the human genome

CPEB3 ribozyme





HDV



hCPEB3

rs11186856
[T/C]

hu ACGTCGCAGCCCCTGTCAGATTCTG
rh ACGTCGCGGCCCCTGTCAGATTCTG
m ACGTCGCGGCCCCTGTCAGATTCTG
d ACGTCATGGCCCCTGTCAGATTCTG

Salehi-Ashtiani et al., *Science*, 2006

ATP Binding Protein



Current focus:

Origin of Life

Schematic Model of a Protocell

A simple cell might be based on a replicating vesicle for compartmentalization, and a replicating genome to encode heritable information. A complex environment provides nucleotides, lipids and various sources of energy.



Mechanical energy (for division), chemical energy (for nucleotide activation), phase transfer and osmotic gradient energy (for growth) may be used by the system.

Mansy et al., *Nature*, 2008

Montmorillonite can bring RNA into Vesicles



Hanczyc et al., *Science*, 2003

Cycles of growth and division



Zhu and Szostak, *JACS*, 2009

Self-Replicating Genetic Polymers

It seems likely that informational replication will be achieved in the next decade, and that it will throw new light on the origins of life.

Leslie Orgel, 1992

Typical monomer for spontaneous synthesis



Typical monomer for spontaneous synthesis and corresponding polymer



Origin of Telomerase in Spontaneous Copying Chemistry?



…and thanks to the many
students, postdocs, collaborators,
colleagues and friends
who made this work possible.